



City of Bristol
BRISTOL, CONNECTICUT 06010

**Invitation to Bid 2011-096
Forklift
Addendum 01
April 26, 2011**

Please note the following changes:

Attachment A is included with this addendum and made a part of the specifications thereof.

All other terms and conditions remain unchanged.

Roger D. Rousseau/p6

Roger D. Rousseau
Purchasing Agent
Tel (860) 584-6195
Fax (860) 584-6171

RETURN THIS FORM IMMEDIATELY!

City of Bristol, Connecticut
Acknowledgment: Receipt of Bid Documents

Bid Number: **2011-096**
Title: **Forklift**
Addendum 01

Please take a moment to acknowledge receipt of the attached bid documents. Your compliance with this request will help us to maintain proper follow-up procedures while ensuring that all recipients have the opportunity to submit proposals.

Date Addendum #01 was issued April 26, 2011
Date Addendum #01 was received ____/____/____
Do you plan to submit a bid? Yes____ No____

Print or type the following information:

Company name: _____
Address: _____
City or Town: _____
Phone: _____
Fax: _____
Email: _____
Received by: _____

Note: Faxed acknowledgments are requested!
FAX (860)584-6171
A cover sheet is NOT necessary.
IMPORTANT: DO NOT FAX PROPOSALS.
PROPOSALS MUST BE SUBMITTED IN SEALED PACKAGES

**City of Bristol, Connecticut
Invitation to Bid 2011-096
Attachment A**

Specifications

Basic Capacity: 6,000 lbs. @ 24" Load Center
Model: GC060VX
Mast Stage: Triplex
Maximum Lift: 187"
Overall Lowered Height: 88"
Free Fork Height: 63"
Forks: 42" Standard Taper Pallet Forks
Drive Tires: 21" x 8" x 15" Std Compound Smooth Tread Cushion
Steer Tires: 16" x 6" x 10.5" Std Compound Smooth Tread Cushion
Mast Tilt: 5° Forward, 8° Backward
Overall Width: 43.6"
Outside Turning Radius: 81.3"

Standard Items

Mazda 2.2L Engine
Electronic Powershift (1 spd.)
Serpentine Radiator
Drum Brakes
Propane Fuel System (LPG)
Load Backrest Extension - 48" High
Cowl Mounted Mechanical Hydraulic Control Levers
Swing-out LPG Tank Bracket
U.L. Classification - "LP"
84" High Overhead Guard
12" Steering Wheel with Spinner Knob
Keyswitch Start with Anti-Restart
Forward/Reverse Direction Lever
Non-suspension Vinyl Seat
Single pedal inch/brake
High Air Intake
Low Fuel Indicator
Continuous Stability Enhancement System
Integrated Dashboard Display
Adjustable Steering Column
Power Steering
Floor Mat
Operator Restraint System
Integral Tie Downs
Operating Manual
12 Months/2,000 Hours Manufacturer's Warranty
36 Months/6,000 Hours Manufacturer's Powertrain Warranty

Manufacturer Option Items Required

Mazda 2.2L w/Techtronix 100
Optek Fuel Sensor - Mazda
Three-Stage, Full Free Lift Mast - 88"/187"/63"
38.5" Hook-Type Integral Sideshifter
(2) Front, (1) Rear Work Light and (2) Brake/Tail/Back-up Lights
Alarm- Reverse Direction Activated 82-102 Decibel Level (Self-Adjusting)
Amber Strobe
Full Suspension Seat
Rear Drive Handle