



City of Bristol
BRISTOL, CONNECTICUT 06010

Invitation to Bid 2A12-049

**Annual Requirements for Municipal Wastewater Sludge Disposal
For the Period February 2012 through January 2017**

**Addendum 02
December 19, 2011**

Please note:

Sludge chemistry data for the four most recently completed quarterly reporting is included with this addendum, attached hereto, identified as Exhibit A and made a part of the specifications.

End of Addendum 02

Roger D. Rousseau
Purchasing Agent
Tel (860) 584-6195
Fax (860) 584-6171

RETURN THIS FORM IMMEDIATELY!

City of Bristol, Connecticut
Acknowledgment: Receipt of Bid Documents

RFP Number: **2A12-049**

Title: **Annual Requirements Sludge Disposal
Addendum 02**

Please take a moment to acknowledge receipt of the attached documents. Your compliance with this request will help us to maintain proper follow-up procedures while ensuring that all recipients have the opportunity to submit proposals.

Date Addendum 02 was issued December 19, 2011

Date Addendum 02 was received ____/____/____

Do you plan to submit a proposal? Yes____ No____

Print or type the following information:

Company name: _____

Address: _____

City or Town: _____

Phone: _____

Fax: _____

Email: _____

Received by: _____

**Note: Faxed acknowledgments are requested!
FAX (860)584-6171
A cover sheet is NOT necessary.
IMPORTANT: DO NOT FAX PROPOSALS.
PROPOSALS MUST BE SUBMITTED IN SEALED PACKAGES**

Invitation to Bid 2A12-049
Municipal Waste Water Sludge Disposal
Exhibit A

<u>Report period</u>	<u>12/1/2010</u>	<u>3/1/2011</u>	<u>6/1/2011</u>	<u>9/6/2011</u>	<u>Units</u>
NH ₃ -N	n/a	2,208	3,601	1,936	mg/kg
Total Solids	22	22.8	23.3	26.9	%
Fixed Solids	14	14.8	16.1	16.8	%
Volatile Solids	86	85.2	83.9	83.2	%
Arsenic	<1.10	<0.25	<0.25	<0.25	mg/kg
Zinc	300	<1.00	<1.00	546.5	mg/kg
Copper	280	284.83	152	388.3	mg/kg
Chromium	55	66.62	69.87	72.3	mg/kg
Lead	22	31.42	39.41	60.3	mg/kg
Nickel	32	25.68	16.62	30.9	mg/kg
Cadmium	4.7	<10.00	<10.00	<10.00	mg/kg
Mercury	0.63	<0.250	4.84	4.56	mg/kg
Beryllium	<0.22	<1.00	<1.00	<1.00	mg/kg
PCB's	<1.00	<1.00	<1.00	<1.00	mg/kg